cloud softlight by molo



molo design, ltd. 1470 Venables Street Vancouver, BC Canada V5L 2G7

t + 1 604 696 2501 f + 1 604 685 0342 info@molodesign.com

molodesign.com molostore.com · shop online molotrade.com · for designers




cloud softlight by molo

cloud softlight can create a luminous, undulating overhead canopy, tailored to the individual space they are shaping. Taking inspiration from the wondrous mobile constructions of Alexander Calder, a mobile of luminous clouds can be suspended, moving with a gentle buoyancy in the air currents overhead. The mobile structure allow for a broad canopy of cloud forms, hung from a single point, to provide light and a sense of intimate enclosure. The hollow cloud forms are internally lit by LED light, making the sculptural three dimensional forms mysteriously radiant when viewed from any direction.

Alternately, individual pendants in four different sizes can be suspended. You decide the topography of your own cloudscape, positioning how it rises and falls through and over a space. Discover the possibilities to shape an intimate, gentle quality of space under the cloud, move through and above it with a staircase or anything else you might imagine...









cloud softlight with LED product dimensions/description material power supply colour product code lumens + voltage cloud softlight overall diameter of mobile: white textile 833 lumens** 26.4W power draw small mobile 1700mm (5.5') ø (approx) aluminum plug-in 110 - 240 V daylight white 4800K CIT-WH-M4-PD small mobile includes: warm white 3300K CLT-WH-M4-PW 2 small pendants 1 marili im nandant daylight white 4800K CIT-WH-M4-HDN hardwire 110 - 120 V hanging weight 3.0kg (6.6lbs) CIT-WH-M4-HWN North America warm white 3300K hardwire 220 - 240 V daylight white 4800K CLT-WH-M4-HDE av ann 500 v 270 v 140mm /22 25 v 10 75 v 5 51 warm white 3300K CIT-WH-M4-HWE 4.8kg (11.0lbs) (plug in) 5.7kg (12.6lbs) (hardlwire) hav two: 1260 v 255 v 38mm (49.5 v 10.0 v 1.5°) 1.5kg (3.3lbs) cloud softlight overall diameter of mobile: 1198 lumens** white textile medium mobile 38W nower draw 2100mm (7") ø (approx) aluminum plua-in 110 - 240 V daylight white 4800K CLT-WH-M6-PD medium mobile includes: warm white 3300K CIT-WH-M6-PW small pendant medium pendant hardwire 110 - 120 V daylight white 4800K CLT-WH-M6-HDN l large pendant North America warm white 3300K CLT-WH-M6-HWN hanging weight 6.0kg (13.2lbs) hardwire 220 - 240 V daylight white 4800K CLT-WH-M6-HDE warm white 3300K CLT-WH-M6-HWE Europe 50x one: 770 x 420 x 125mm (30.25 x 16.75 x 5") 8.2kp 18lbs) (plug in) 10.0kg (22lbs) (hardwire) hov two: 1345 v 265 v 50mm (53 v 10 5 v 2°) 1 5kg (3.3bs) cloud softlight overall diameter of mobile: white textile 1783 lumens** 56.8W power draw large mobile 3000mm (10') ø (approx) aluminum plug-in 110 - 240 V daylight white 4800K CLT-WH-M8-PD large mobile includes: warm white 3300K CLT-WH-M8-PW medium pendant 1 large pendant daylight white 4800K CLT-WH-M8-HDN hardwire 110 - 120 V x-large pendant warm white 3300K CLT-WH-M8-HWN nanging weight 12.0kg (26.5lbs) hardwire 220 - 240 V daylight white 4800K CLT-WH-M8-HDE ships in two baxes warm white 3300K CLT-WH-M8-HWE tax one: 1100 x 600 x 160mm (43.25 x 23.75 x 6.25") 18.0kg (40lbs) (plug in) 19.8kg (43.7lbs) (hardwire bax two: 1900 x 325 x 50mm (74.75 x 12.75 x 2") 2.6kg (5.7lbs) 3 meter (10') electrical coaxial cable silver CLT-3EX3C extension for cloud actrical cable. This extension is only required for mobile additional langth for the small mobile, up to five 3m (10') electrical atensions can be added without significant light loss for the medium or large mobile, up to three 3m (101) lectrical extensions can be added without significant light loss

^{*} Weights may vary.

^{**} lumen values refer to LED output, note that cloud shade will absorb some of the light.

cloud softlight with LED



product		dimensions height x diameter	material	power supply lumens + voltage	colour	product code
cloud softlight small pendant		560mm (22*) o hanging wayte 0.7 of (1.5bu) ships in lox 250 x 240 x 150mm (11.5 x 2.5 x 67) 1.6bq (4.0bu) (hayte) in 2.0bq (4.4bu) (hardwra)	white textile	270 lumens** 8.6W power draw plug-in 110 - 240 V international hardwire 110 - 120 V North America hardwire 220 - 240 V Europe	daylight white 4800K warm white 3300K daylight white 4800K warm white 3300K daylight white 4800K warm white 3300K	CLT-WH-PS-PD CLT-WH-PS-PW CLT-WH-PS-HDN CLT-WH-PS-HWN CLT-WH-PS-HDE CLT-WH-PS-HWE
cloud softlight medium pendant		860mm (34*) o hanging weight: 1.48g 5.0bs) ships in box 650 x 270 x 140mm (53.25 x 10.75 x 5.5') 2.8bg (6.0bs) pluty-thy 3.3bg (7.0bs) pluty-thy 3.3bg (7.0bs) plut-thy	white textile	293 lumens** 9.2W power draw plug-in 110 - 240 V international hardwire 110 - 120 V North America hardwire 220 - 240 V Europa	daylight white 4800K warm white 3300K daylight white 4800K warm white 3300K daylight white 4800K warm white 3300K	CLT-WH-PM-PD CLT-WH-PM-PW CLT-WH-PM-HDN CLT-WH-PM-HWN CLT-WH-PM-HDE CLT-WH-PM-HWE
cloud softlight large pendant		1200mm (46") e hanging wegle 1.50g (7.5ba) whigh in bot 770 x 400 x 120mm (60.25 x 16.75 x 5') 5.00g (17ba) (packet) 6.00g (14.5ba) (handeley)	white textile	635 lumens** 20.2W power draw plug-in 110 - 240 V international hardwire 110 - 120 V North America hardwire 220 - 240 V Europe	daylight white 4800K warm white 3300K daylight white 4800K warm white 3300K daylight white 4800K warm white 3300K	CLT-WH-PL-PD CLT-WH-PL-PW CLT-WH-PL-HDN CLT-WH-PL-HWN CLT-WH-PL-HDE CLT-WH-PL-HWE
cloud softlight x-large pendant		1620mm (64") o hanging weight: 6-46g (14.1bs) shigs in box 1100 x 800 x 160mm (49.25 x 29.75 x 6.25') 10 lago (25.4 dos) play-lip 11.5 kg (25.4 dos) playchere)	white textile	855 lumens** 27.4W power draw plug-in 110 - 240 V international hardwire 110 - 120 V North America hardwire 220 - 240 V Europa	daylight white 4800K warm white 3300K daylight white 4800K warm white 3300K daylight white 4800K warm white 3300K	CLT-WH-PX-PD CLT-WH-PX-PW CLT-WH-PX-HDN CLT-WH-PX-HWN CLT-WH-PX-HDE CLT-WH-PX-HWE
6 meter (20') electrical extension for cloud pendant	6	-play in cloud pandant come standard with first (D) of a discholar data and nativello oclar pandants come with first (3) of electrical cabla. This adension is only required the additional large of additional cabla, this adension is only required the additional large. The additional large pandants, go to fine (m (D2) adensions come additional without significant light loss. The this value pandants, yo to three difficulty advantabilists can be added without significant light toos.	coaxial cable		silver	CLT-PWEX6

^{*} Weights may vary.

^{**} lumen values refer to LED output, note that cloud shade will absorb some of the light.